

Specification Sheet | DS250-1-ENG

eng

Howmeier MUT 4000



MUT 4000

120 C IP 67

HC

CE

BAK1031

10

MODEL

PART N.

DN PN

TEMP.

ELECTRODES



Electromagnetic flowmeter MUT 4000





Low cost automotive electromagnetic flowmeter for hose fitting. The right choice for the automotive market.

Encouraged by the R&D dept. of Automobili Lamborghini S.p.A., Euromag International has recently developed and completed a brand new flowmeter, designed primarily for the automotive market.

Engineered with light and innovative materials, MUT4000 has a compact and versatile design with hose connections, for a quick easy installation.

Reference standards

EUROMAG magnetic meters are marked CE and are manufactured according to the following standards:

- * CEI EN 61010-1
- * UNI EN ISO 6817
- * EN 1434
- * EN 50081 1
- * EN 50082 1
- * 2006/95/CE, 93/68 (LVD)
- * 2004/98/CE, 92/31 (EMC)





Hose size	Internal Diameter	Length	Weight	Typical Flow Rate at 2 m/s velocity	
	mm	mm	kg	m³/hr	l/min
1/2"	9	88	0.8	0.45	7.63
5/8"	12	88	0.8	0.81	13.56
3/4"	15	94	0.8	1.27	21.19
1"	18	98]	1.83	30.52
1.1/4"	25	106	1	3.53	58.88
1.1/2"	32	140	1	5.78	96.48
2"	44	140	1.4	10.94	182.4

COMMON FEATURES:

- Temperature Rating: -25°C to +120°C for separate version;
- -25°C to 80°C for compact version. • Viscosity Range:
- Viscosity independent.
- Accuracy and repeatability: $\pm 0.5\%$ over flow range 0.5 to 5 m/s.
- Fluid Conductivity: Must be greater than 5 µS/cm.
- Internals: PBT and Fibreglass Lining with 3 off Hastelloy C electrodes as standard.
- Body Material: Chromed carbon steel
- Protection Rating: IP67 NEMA 6
- Pipe Fitting: Hose

- Pressure class: PN10
- Output & Power: MC106A
- Cable length: 20 feet (6.1m) long is standard.

Options:

- Flow rate, temperature and pressure: Alternate ratings available in different sizes and styles, consult factory for further details.
- Hazardous Area Version ATEX: Available at extra cost to EEx mb IIC T4 with separate version only.
- Operating and Maintenance Manual: Included
- Calibration Certificate:
 Included



COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV = ISO 9001=



EUROMAG INTERNATIONAL srl

35035 Mestrino (Padova) – Via Torino, 3 – Italy Tel. +39 049 9005064 – Fax +39 049 9007764 www.euromag.com – euromag@euromag.com